MOST POPULAR

PRESSURE WASHING DETERGENT

IN YOUR INDUSTRY



01 All Purpose / Fleet Wash
O2 Aluminum Brightener 10 - 13
03 Concrete & Asphalt 14 - 16
04 Detail Products 17 - 21
05 Floor Cleaner
06 Graffiti Cleaner

08 0ils & Grease 29 - 36 09 Parts Washer 37 - 40 10 Recycle System 41 - 45 11 Resources 46 - 47

CONTENTS

DETERGENT

A GUIDE TO OUR BEST DETERGENTS





FOR ANY INDUSTRY



ALL-PURPOSE & FLEET WASH

01

<u>www.nortexss.com</u>

RED VIPER



Heavy-duty non-corrosive truck and trailer detergent. For general cleaning, the product will clean and brighten surfaces hot or cold.

pH: 7.5

Volume: 5 Gal, 55 Gal, Bulk

PATRIOT



Heavy-duty non-corrosive, mild pH truck and trailer detergent. For general cleaning, the product will clean and brighten surfaces hot or cold.

pH: 10.5

Volume: 5 Gal, 55 Gal, Bulk

TW-501



TW-501 (less concentrated mix of TW-500) is a heavyduty cleaner excellent for truck, trailer wash, and heavyduty equipment. Is caustic-driven and aggressive on Aluminum. Recommended for the oil field.

Volume: 5 Gal, 55 Gal, Bulk

TRANSPORT



Hotsy most economical detergent for vehicles. Clean anything that has wheels.

pH: 12.7

Volume: 5 Gal, 55 Gal, Bulk

BREAKTHROUGH



Hotsy's best all-purpose detergent. High foaming action makes it a good candidate to take on grease, oil, and mud.

pH: 12.92

Volume: 5 Gal, 55 Gal, Bulk

02

ALUMINUM BRIGHTENER

ALUMINUM BRIGHTENER



Restores aluminum and makes it look new in just one application. Attacks oxidized aluminum leaving a "like new" look to the surface after the initial application.

pH: < 2

Volume: 5 Gal, 55 Gal

POLISHED ALUMINUM & STAINLESS STEEL CLEANER



Powerful acidic cleaner and aluminum brightener to clean and restore stained aluminum surfaces, without dulling bright aluminum finishes.

pH: 2.45

Volume: 5 Gal, 55 Gal

YELLOW FEVER



Powerful acidic cleaner and aluminum brightener to clean and restore stained aluminum surfaces, without dulling bright aluminum finishes.

pH: 2.45

Volume: 5 Gal, 55 Gal, Bulk

03 CONCRETE & ASPHALT

TAR & ASPHALT Remover



Designed to "mud" road tar, asphalt, and grease from all municipal equipment concrete floors, and metal parts.

Volume: 55 Gal

HCL-90 CONCRETE REMOVER



HCL-90 is a 16% Hydrochloric Acid Solution that breaks down the molecular bonds in concrete making it brittle to make cleaning easier.

pH: 1.5

Volume: 5 Gal, 55 Gal, Bulk



DETAIL PRODUCTS

BUG REMOVER



An alkaline foaming bug remover. Formulated for use in touch-free and hybrid car and truck wash facilities. Penetrates and loosens bug residues and road film without scrubbing.

pH: 12.5

Volume: 5 Gal, 55 Gal

TIRE SHINE



Silicone-based tire and rubber dressing. High silicone content makes for a 'wet' look to tires and rubber. Repels water so the product is long-lasting. Provides protection from harmful effects of the sun and UV rays.

pH: 7.0

Volume: 1 Gal, 5 Gal

ULTIMATE DRESSING



Silicone-free, professional grade, tire, rubber, and trim dressing.

pH: 7.0

Volume: 1 Gal, 5 Gal

TUFF COAT



Premium spray wax designed for vehicle wax applications. Leave your equipment with a bright, waxed appearance following a rinse.

Volume: 5 Gal, 55 Gal, Bulk

05

FLOOR CLEANER

www.nortexss.com

22

FLOOR SCRUB



Low-foaming alkaline-based detergent designed for various maintenance cleaning; including automatic floor scrubbing machines.

pH: 9.0

Volume: 5 Gal, 55 Gal, Bulk

06

GRAFFITI Remover

<u>www.nortexss.com</u>

24

GRAFFITI Remover



Dissolves spray latex or enamel paint sprays, lacquers, permanent marker & inks, and adhesives from smooth surfaces. Will work in hot and cold temperatures and wet and dry surfaces without damaging the original surface.

Volume: 1 Gal, 5 Gal

GRAFFITI Remover



Dissolves spray latex or enamel paint sprays, lacquers, permanent marker & inks, and adhesives from masonry surfaces. Will work in hot and cold temperatures and wet and dry surfaces without damaging the original surface.

Volume: 1 Gal, 5 Gal

07

HAND CLEANER

www.nortexss.com

27

GRIME GONE



Massage into wet hands until the oil, soil, and/or grease is liquefied and dissolved. Rinse with water.

pH: 7.5

Volume: 1 Gal

80

OILS & GREASE

TW-500!



TW-500 is a heavy-duty cleaner excellent for truck, trailer wash, and heavy-duty equipment. Is causticdriven and aggressive on Aluminum. Recommended for the oil field.

pH: 14.0

Volume: 5 Gal, 55 Gal, Bulk

TW-501



TW-501 (less concentrated mix of TW-500) is a heavy-duty cleaner excellent for truck, trailer wash, and heavy-duty equipment. Is caustic-driven and aggressive on Aluminum. Recommended for the oil field.

Volume: 5 Gal, 55 Gal, Bulk

TW-505



TW-505 (less concentrated mix of TW-500) is a heavy-duty cleaner excellent for truck, trailer wash, and heavy-duty equipment. Is causticdriven and aggressive on Aluminum. Recommended for the oil field.

Volume: 5 Gal, 55 Gal, Bulk

PD-200



For general purpose degreasing. Do NOT use on aluminum, magnesium, or galvanized metals. Should not be used on cars or trucks due to its possible dulling effects on these surfaces.

Volume: 5 Gal, 55 Gal, Bulk

HOTSY Ripthrough



fifth wheels, draglines an NOT use on a aluminum, m galvanized metals. Ripth not be used on cars or tr possible duiling effects of surfaces. Contents: Section Metabolicate. Eth

Sodium Metasilicate, Ethylene Glycol, Monobutyl Ether, Ethoxylated Alcohols, Sodium Dodecylbenzene Sulfonate, Caustic Soda, Tetrasodium Ethylenediamine Tetraacetic Acid, Ru Scale and Corrosion Inhibitors, Surfactants and Water Softening Agents. Biodegradable.

Caustic alkali liquids, n.o.s., Class UN1719, PG II, (Contains sodium hydroxide solution, sodium metasilicate.)

For Emergency Spills Call: Chemtres 1-800-424-9300

ctions: general purpose (

For general purpose degressing, one part of Ripthrought may be metered with up to 150 parts of water. For heavy duty degressing, mix one parts Ripthrought with up to 10 parts water and pre-spray solide surface, let stand for up to 10 minutes. Rinse with hot, high pressure water.

AMGER: Ripthrough contains Sodian vidroxide. DO NOT GET IN EVES. ON SIN, IN CLOTHING. DO NOT BREATH VAPOR SIS ONLY WITH ADEQUATE VENTLATION. WIEN HANDLING, WEAR CHEMICAL PLASH GOGGLES, FACE SHELD, RUBBING ILL CAUSE EVER AND SIM DURING. DO DIGT TAKE INTERNALLY, HARMFUL OR ATAL IF SWALLOWED.

IRST AD: 'VES: Immediately flush with water for 15 Imutes. Get medical attention immediately. KIN: Immediately flush with water. Get secical attention immediately. VTERNAL: DD NOT induce vomiting. Give ange quantilies of water or milk. Call a hysician immediately. :EPP OUT DE RIACH OF CHURGEN.

For general purpose degreasing. DO NOT use on aluminum, magnesium, or galvanized metals. Ripthrough should not be used on cars or trucks due to its possible dulling effects on these surfaces.

Volume: 5 Gal, 55 Gal, Bulk

GREASE GONE



Non-caustic detergent for general purpose degreasing. Do NOT use on aluminum, magnesium, or galvanized metals. Grease Gone should not be used on cars or trucks due to its possible dulling effects on these surfaces.

Volume: 5 Gal, 55 Gal, Bulk

HOTSY ORANGE



Moderate pH degreaser. Surfactant-based noncaustic detergent. Effective on carbon-based deposits, road film, and truck exhaust stains.

pH: 10.45

Volume: 5 Gal, 55 Gal, Bulk

<u>www.nortexss.com</u>

09

PARTS WASHER

VAPOR Corrosion Inhibitor



Effective in inhibiting rust. Contains a superior blend of rust and corrosion inhibitors that gives protection in both the liquid and vapor phases.

pH: 10.2

Volume: 1 Gal (x4 Case), 5 Gal, 55 Gal <u>www.nortexss.com</u>

OLYMPIC WASH



A non-caustic compound that rapidly removes dirt, grease, oil, and varnish from transmission casings. High alkalinity and buffered agents make this compound stronger and more stable in high temperatures for extended amounts of time.

pH: 11

Volume: 50 lbs KEG

HOTSY DEFOAMER



Add to parts-washer cleaning solutions to reduce foam buildup.

pH: 8.5

Volume: 1 Gal (x4 Case), 5 Gal, 55 Gal

10

RECYCLE SYSTEM & CHEMICALS

RECLAIM IT



Formulated to remove exhaust deposits, heavy road film, and bug residues from painted vehicle surfaces in one application, then release oil and grease from discharge water.

pH: 11.5

Volume: 5 Gal, 55 Gal, Bulk

REMEDY



A special blend of microbes specific to bioremediation. Removes any hydrocarbon in the system.

pH: 7.0

Volume: 55 Gal

COAGULANT



A uniquely formulated coagulant that is cost and performance effective. CoAg is highly effective at coagulating suspended solids, emulsified oils, and greases from a variety of applications.

Volume: 5 Gal, 55 Gal

PH ADJUSTER



An aluminum sulfate blend used to lower waste water pH levels.

Volume: 55 Gal

01

<u>Everything You Need To Know About</u> <u>Pressure Washer Detergent</u>

01.A

<u>Breaking Down the 5 Types of Pressure</u> <u>Washer Detergents</u>

01.B

<u>The Science Behind Water Solubility and</u> <u>Power Washing Detergent</u>

01.C

Chem 101: What Makes Industrial Pressure Washer Cleaning Solution Work?

01.D

<u>The Hidden Truth Behind Pressure</u> <u>Washer Cleaner for Cold-Water</u> <u>Machines</u>

01.E

<u>How to Select the Best Pressure</u> <u>Washer Detergent by Industry</u>

01.F

<u>Properties of Eco-Friendly Power</u> <u>Washer Soap</u> RESOURCES

02 Foam and Clean: Understanding the Role of Foaming in Washing

03

<u>Increase Detergent Cleaning Power</u> <u>With a Foam Cannon</u>

04

<u>Reasons to Choose Hotsy Brand</u> <u>Detergents</u>

05 <u>Top Pressure Washer</u> <u>Detergents for Winter</u>

06 <u>7 Pressure Washer</u> <u>Detergents for Specific</u> <u>Industries</u> RESOURCES

CONTACT US



Locations:

Dallas TX

(214) 630-7310 10205 N. Walton Walker Blvd Dallas, TX 75220

East TX

(903) 984-0099 3210 N. State Hwy 135 Kilgore, TX 75662

West TX

(432) 653-1784 3912 S. County Rd 1290 Odessa, TX 79765



(800) 280-5961

nortexss.com

sales@nortexss.com